

SPARK PLUGS & CAPS



Spark plugs

Spark plugs

Spark plugs

Order 50 or more assorted plugs and receive a 32% discount!

ATV City Part No.
160.B2LM
160.B6HS
160.B6S
160.B7HS
160.BCPR5ES
160.BKR5E11
160.BKR6E
160.BKR7E
160.BM6A
160.BMR2A
160.BMR4A
160.BMR6A
160.BMR7A
160.BP5ES
160.BP5HS
160.BP6ES
160.BP6HS
160.BP7HS
160.BP8ES
160.BPM6A
160.BPM7A
160.BPMR6A
160.BPMR7A

ATV City Part No.
160.BPR2ES
160.BPR4FS-11
160.BPR4HS
160.BPR5ES
160.BPR5HS
160.BPR6ES
160.BPR6HS
160.BPR7HS
160.BR2LM
160.BR6HS
160.BR8ES
160.BR8HSA
160.BR9ECS
160.BR9ES
160.C6HSA
160.C7HSA
160.CMR5H
160.CMR7A
160.CPR7EA9
160.CPR8EB-9
160.CR4HSB
160.CR6E
160.CR6HSA
160.CR7E
160.CR7HS

ATV City Part No.
160.CR7HSA
160.CR8E
160.CR8EB
160.CR8HS
160.CR9E
160.D6EA
160.D7EA
160.D8EA
160.DCPR8E
160.DPR7EA9
160.DPR8EA9
160.DR7EA
160.DR7ES
160.DR8EA
160.DR8ES
160.DR8ESL
160.IFR5L11
160.IFR8H11
160.IJR7A9
160.LMAR6A-9



Glow plugs

ATV City Part No.

160.Y760R
160.YE01

ATV City Part No.

162.VB05F
162.VD05F
162.XB05F
162.XD05F

Plug caps

ATV City Part No.

162.LB05F
162.LD05F
162.SB05F
162.SD05F
162.VD05EM

LB05F / LD05F



VB05F / VD05F



SB05F / SD05F



XB05F / XD05F



FULL RANGE OF NGK PLUGS AVAILABLE
IF NOT LISTED ABOVE



SPARK PLUGS & CAPS



Apache

Eng. Size	Model	Date	Standard Plug	Gap mm.
50	RLX 50		BR8HSA	0.7
50	Tomahawk Mini 50 (4-Stroke)	-->07	CR7HSA	0.6
50	Tomahawk Mini 50 (2-Stroke)	08-->	BR8HSA	0.7
100	Army 100		BR8HSA	0.6
100	RLX 100		BR8HSA	0.6
100	SX 100		BR8HSA	0.6
100	ZX100		BR8HSA	0.7
150	RLX 150 H		CR7HSA	0.6
150	RLX 150		CR7HSA	0.6
150	Superbug 150		CR7HSA	0.6
170	RLX 170 S		DR8EA	0.6
250	RLX 250 AX		DR8EA	0.6
250	RLX 250 S		CR8HS	0.7
250	RLX 250 SX		CR8HS	0.7
280	RLX 320		DPR7EA-9	0.9
360	RLX 400	10-->	CR8E	0.7
450	RLX 450		CR8E	0.7
500	RLX F500	10-->	DPR7EA-9	0.9

Bombardier

Eng. Size	Model	Date	Standard Plug	Gap mm.
50	DS 50 (Rotax)	02-->03	BPR7HS	0.6
50	DS 50	04-->05	BR9ECS	0.7
90	DS 90 (Rotax 2-Stroke)	02-->03	BPR7HS	0.6
90	DS 90 (Rotax 2-Stroke)	04-->05	BR9ECS	0.7
90	DS 90 (Rotax 4-Stroke)	02-->	CR7HSA	0.6
200	Rally (Rotax)	03-->05	CR8E	0.7
330	Outlander 330 HO (Rotax 4-TEC)	04-->05	BR9ECS	0.7
400	Outlander 400 HO (Rotax 4-TEC) Ø12mm Plug	03-->	DCPR8E	0.6
400	Outlander 400 Ø14mm Plug	04-->	BR9ECS	0.7
500	Traxter (Rotax) Ø12mm Plug	98-->02	DR8EA	0.7
500	Traxter (Rotax) Ø14mm Plug	03-->	BR9ECS	0.7
500	Traxter CVT	2005	DCPR8E	0.7
650	DS 650 (Rotax) Ø12mm Plug	00-->05	DR8EA	0.7
650	Quest 650 (Rotax 4-TEC) Ø12mm Plug	02-->03	DR8EA	0.7
650	Quest 650 Ø14mm Plug	03-->	BR9ECS	0.7

Arctic Cat

Eng. Size	Model	Date	Standard Plug	Gap mm.
50	50	06-->	CR7HSA	0.6
90	90	06-->	CR7HSA	0.6
150	150	09-->	DR8EA	0.7
250	250	01-->	DR7EA	0.6
300	300	05-->	DR7EA	0.6
300	DVX 300	08-->	DPR7EA-9	0.9
366	400 H1	08-->	CR7E	0.7
400	400		CR7E	0.7
400	DVX 400	04-->08	CR7E	0.7
500	500		CR6E	0.8
550	550		CPR8E	0.8
650	650	04-->05	CR7E	0.7
650	650 H1	05-->	CPR8E	0.8
700	700 H1	09-->	CPR8E	0.8

Can-Am

Eng. Size	Model	Date	Standard Plug	Gap mm.
50	DS 50	06	BR9ECS	0.7
70	DS 7	08-->	CR7HSA	0.7
90	DS 90 (Rotax 2-Stroke)	2006	BR9ECS	0.7
90	DS 90 (Rotax 4-Stroke)	06-->	CR7HSA	0.6
200	Rally (Rotax)	06-->07	CR8E	0.7
250	DS 250	06-->	CR8E	0.7
400	Outlander 400 HO (Rotax 4-TEC) Ø12mm Plug	06-->	DCPR8E	0.6
400	Outlander 400 Ø14mm Plug	06-->	BR9ECS	0.7
400	Outlander MAX	13-->	DCPR8E	0.7
450	DS 450	08-->	DCPR9E	0.7
500	Outlander 500	07-->	DCPR8E	0.7
500	Renegade 500	08-->	DCPR8E	0.7
500	Traxter (Rotax) Ø14mm Plug	06-->	BR9ECS	0.7

SPARK PLUGS & CAPS



Can-Am (Continued)

Eng. Size	Model	Date	Standard Plug	Gap mm.
650	DS 650 (Rotax) Ø12mm Plug	06-->07	DR8EA	0.7
650	Outlander 650	06-->	DCPR8E	0.7
650	Quest 650 Ø14mm Plug	06-->	BR9ECS	0.7
800	Commander 800	11-->	DCPR8E	0.7
800	Outlander 800 (Incl. R, X & XC models)	06-->	DCPR8E	0.7
800	Renegade 800	07-->	DCPR8E	0.7
1000	Commander 1000	11-->	DCPR8E	0.7

Club Car

Eng. Size	Model	Date	Standard Plug	Gap mm.
719	Carryall 294, 295 (Kubota D722 engine)	04-->	YE01	-

E-Ton

Eng. Size	Model	Date	Standard Plug	Gap mm.
40	JXL40 Viper	03-->	BPM7A	0.6
40	RXL40E		BPM7A	0.6
50	RXL50 Viper	02-->	BPR7HS	0.7
70	RXL70		BPR7HS	0.7
90	DXL90 Sierra	03-->	BPR7HS	0.7
90	RXL90 R		BPR7HS	0.7
90	RXL90 Viper	02-->	BPR7HS	0.7
150	CXL150 Challenger	99-->	C7HSA	0.7
150	RXL150 Viper	09-->	C7HSA	0.7
150	YXL150 Yukon	99-->	C7HSA	0.7

Honda

Eng. Size	Model	Date	Standard Plug	Gap mm.
70	ATC70, ATC70-D	78-->85	CR7HS	0.7
90	TRX90 Sportrax	94-->	CR6HSA	0.6
110	ATC110	79-->85	DR8HS	0.7
125	ATC125M	84-->87	DR8ES-L	0.7
125	TRX125 All variants	85-->88	DR8ES-L	0.7
185	ATC185S-D	79-->82	DR8ES-L	0.7

Honda (Continued)

Eng. Size	Model	Date	Standard Plug	Gap mm.
200	ATC200 (EC/XD/ESE)	81-->84	DR8ES-L	0.7
200	TRX200 All variants	84-->97	DR8ES-L	0.7
250	ATC250R-D	81-->83	BR8ES	0.7
250	ATC250R-F/G	85-->86	BR9ES	0.7
250	TRX250 RH, RJ, RK	86-->89	BR9ES	0.7
250	TRX250 EX Sportrax	01-->08	DPR8EA-9	0.9
250	TRX250 TM/TE Fourtrax S/ES	02-->	DPR8EA-9	0.9
300	TRX300FW-V	94-->99	DPR8EA-9	0.9
300	TRX300EX	00-->01	DR8ES-L	0.7
350	TRX350-H, J, K, L, M, N, P	86-->93	DR8ES-L	0.7
350	TRX350 TM/TE Fourtrax S/ES	01-->06	DPR7EA-9	0.9
400	TRX400AT Fourtrax	05-->	DPR8EA-9	0.9
400	TRX400EX Sportrax	05-->	DPR8EA-9	0.9
420	TRX420 FE/FM/FPM/TE/TM Fourtrax ES	07-->	BKR5E-11	1.1
450	TRX450 FE/FM ES/S	97-->02	DPR7EA-9	0.9
450	TRX450R Sportrax	06-->	#	1.1
475	TRX500 ES/FM/FE Foreman Ø14mm Plug (Manual)	05-->	BKR5E-11	1.1
500	TRX500 FA1, FA2, FA3 Foreman AT Ø12mm Plug (Auto)	01-->	IJR7A-9	0.9
650	TRX650FA Rincon AT	04-->	IFR5L-11	1.1
675	TRX680FA Rincon	05-->	IFR5L-11	1.1

Kawasaki

Eng. Size	Model	Date	Standard Plug	Gap mm.
50	KFX50 A	03-->	BPR4HS	0.7
220	KLF220 A	88-->02	DR8ES	0.7
250	KLF250	03-->	DR8ES	0.6
300	KAF300 A-C (Mule 500/550)	91-->04	BPR5ES	0.8
300	KLF300 (Ø14mm Plug)	86-->88	BR8ES	0.6
300	KLF300 (Ø12mm Plug)	89-->	DR8EA	0.7
300	KVF300	99-->04	DR8EA	0.7
300	KVF300	12-->	DPR7EA-9	0.9
360	KVF360	02-->	DPR8EA-9	0.9

SPARK PLUGS & CAPS



Kawasaki (Continued)

Eng. Size	Model	Date	Standard Plug	Gap mm.
400	KAF400 A, B (Mule 600/610)	05-->	BPR6ES	0.6
400	KFX400	03-->	CR7E	0.7
400	KLF400 B	93-->99	DPR8EA-9	0.9
400	KVF400	99-->	DPR8EA-9	0.9
450	KAF450 (Mule 1000)	88-->	D6EA	0.7
450	KFX450R	08-->	CPR8EB-9	0.9
540	KAF540 C (Mule 2010)	02-->05	BP5ES	0.5
620	KAF620 D (Mule 2500E)	1990	BMR4A	0.7
620	KAF620 A-D (Mule 2510/2500)	93-->00	BMR2A	0.7
620	KAF620 E, G (Mule 3010/3000)	01-->	BPR2ES	0.7
650	KVF650	02-->	CR7E	0.7
700	KFX700 V Force	04-->	CR7E	0.7
700	KVF700 A	04-->	CR7E	0.7
750	KVF750 A-D	05-->	CR7E	0.7
950	KAF950 A-D Diesel (Mule 2510, 3010)	98-->08	Y-706R	-

Kymco (Continued)

Eng. Size	Model	Date	Standard Plug	Gap mm.
443	MXU 450i	12-->	CR7E	0.6
500	MXU 500	-->11	CR7E	0.6
500	MXU 500i IRS	12-->	CR7E	0.6
500	UXV 500		CR7E	0.9

Massey Ferguson

Eng. Size	Model	Date	Standard Plug	Gap mm.
250	MF250 2WD	06-->08	DR7EA	0.6
350	MF350MRP 4WD Manual 5 Speed	06-->08	DR7EA	0.6
400	MF400MRP 4WD Manual 5 Speed	06-->08	CR6E	0.8
450	MF450MRP 4WD Automatic	06-->08	CR6E	0.8
500	MF500MRP 4WD Automatic & Manual 5 Speed	06-->08	CR6E	0.8
500	MF500TBX 4WD Automatic	06-->08	CR6E	0.8

Kubota

Eng. Size	Model	Date	Standard Plug	Gap mm.
898	RTV900	04-->	YE01	-
1123	RTV1100	07-->	YE01	-

Kymco

Eng. Size	Model	Date	Standard Plug	Gap mm.
50	KXR 50		BR8HSA	0.6
90	KXR 90		C7HSA	0.7
150	MXer 150 /RL	01-->	DR8EA	0.7
150	MXU 150 RL	05-->	DR8EA	0.7
250	KXR 250 /RL	01-->	DPR7EA-9	0.9
250	MXU 250 RL, Maxxer 250		DPR7EA-9	0.9
300	MXU 300 RL, Maxxer 300	05-->	DPR7EA-9	0.9
400	MXU 400		CR8E	0.7

Polaris

Eng. Size	Model	Date	Standard Plug	Gap mm.
50	Predator 50	03-->	BPR7HS	0.6
90	Predator 90	03-->	BPR7HS	0.6
90	Sportsman 90		BPR7HS	0.6
200	Phoenix 200	05-->	CR6HSA	0.7
200	Sawtooth	06-->	CR7HSA	0.7
250	Trail Blazer 250		BR8ES	0.7
300	Hawkeye 300 2x4, 4x4	06-->	CR8EB	0.8
330	Magnum 330		BKR6E	0.9
330	Trail Boss 330		BKR6E	0.9
400	Sportsman 400 H.O.	09-->	BKR6E	0.9
450	Sportsman 450		BKR6E	0.9
500	Predator 500	05-->	DCPR8E*	0.9
500	Predator Troy Lee	06-->	DCPR8E*	0.9

SPARK PLUGS & CAPS



Polaris

Eng. Size	Model	Date	Standard Plug	Gap mm.
500	Ranger 4x4 EFI		BKR6E	0.9
500	Scrambler 500		BKR6E	0.9
500	Sportsman 500 EFI		BKR6E	0.9
500	Sportsman 500 H.O. EFI (Incl. Touring)	09-->	BKR6E	0.9
650	Ranger TM	06-->	BPR5ES	0.9
680	Ranger 6x6 EFI		BKR7E	0.9
680	Ranger XP		BKR7E	0.9
700	Sportsman 700 EFI		BKR7E	0.9
700	Sportsman 700 Twin		BKR7E	0.9
800	Sportsman 800 EFI		BKR7E	0.9
850	Sportsman XP 850	-->09	LKAR8A-9	0.9

Quadzilla

Eng. Size	Model	Date	Standard Plug	Gap mm.
50	Buzz	03-->07	BPR7HS	0.6
100	M100		BP7HS	0.7
100	ProShark	04-->	BP8ES	0.6
100	ProShark E		BR8HSA	0.6
100	ProShark Type R		BP8ES	0.6
100	R100		BPR7HS	0.6
100	X100 Single piece head (12.7mm Thread Reach)		BR8HSA	0.6
100	X100 Twin piece head (19mm Thread Reach)		BP8ES	0.6
165	R170E Stinger	03-->06	DR8EA	0.7
200	200E 4 Cross		DR8EA	0.7
200	ST200E	06-->07	CR7HSA	0.6
250	PGO 250E Bugrider		DPR7EA-9	0.9
250	R250E Stinger		CR8HS	0.7
250	R250E Triple Disc		CR8HS	0.7
250	XRV 250	06-->07	DPR7EA-9	0.9
300	300E SUV 4 Valve		DR8EA	0.7
500	XLC500	08-->	DCPR8E*	0.9
700	RS7	10-->	CR6E	0.8
750	RS8	11-->	CR6E	0.8

Suzuki

Eng. Size	Model	Date	Standard Plug	Gap mm.
50	LT50 -->K4/K5 (Ø14mm Plug)	-->05	BPR4HS	0.7
50	LT-A50 -->K4/K5 (Ø14mm Plug)	-->05	BPR4HS	0.7
50	LT-Z50 K5/K6 (Ø10mm Plug)	05-->	CR6HSA	0.7
80	LT80 P-R-S		BP7HS	0.7
80	LT80 T-V-W-X-Y K1-K5		BPR7HS	0.7
90	LT-Z90	06-->	CR6HSA	0.7
250	LT-4WD	87-->98	DR7ES	0.7
250	LT-F250F Ozark	99-->02	DR7EA	0.6
250	LT-F250	03-->	DR7EA	0.6
250	LT-Z250 K4-K5	04-->	DR7EA	0.6
300	LT-F300F	99-->02	DR7EA	0.7
400	LT-A400F K2 (Eiger)	02-->	CR7E	0.7
400	LT-F400 Eiger 2WD		CR7E	0.7
400	LT-F400F Eiger 4WD	02-->09	CR7E	0.7
400	LT-F400FSi KingQuad	10-->	CR7E	0.7
400	LT-Z400	03-->	CR7E	0.7
450	LT-A450X	07-->	CR6E	0.8
450	LT-R450	06-->	CR8EB	0.7
500	LT-A500XP KingQuad	10-->	CR6E	0.8
500	LT-F500F	98-->07	CR7E	0.7
700	LT700A K5	05-->	CR6E	0.8
700	LT-A700X K7	07-->	CR6E	0.8
722	LT-A750X	08-->	CR6E	0.8

TGB

Eng. Size	Model	Date	Standard Plug	Gap mm.
90	Hornet 90		BPR7HS	0.6
250	Blade 250		CR8E	0.8
287	Blade 325 SL 2WD		CR8E	0.8
287	Target 325 SL 2WD		CR8E	0.8
403	Blade 425 SL 4WD	10-->	CR7E	0.7
403	Blade 450 SE IRS 4WD	10-->	CR7E	0.7
460	Blade 460 R 2WD	12-->	CR7E	0.7
503	Blade 550 LT 4WD	11-->	CR7E	0.7
503	Blade 550 SE IRS 4WD	11-->	CR7E	0.7
503	Target 550 IRS 4WD	11-->	CR7E	0.7

SPARK PLUGS & CAPS



Yamaha

Eng. Size	Model	Date	Standard Plug	Gap mm.
50	YFM50 Mini Raptor	03-->05	CR7HS	0.6
50	YFM50 Mini Raptor	06-->	CR7HSA	0.7
60	YT60L (Tri-Moto)		BP6HS	0.6
80	YFM80	92-->03	CR7HS	0.7
80	YFM80 Badger	04-->	CR7HSA	0.7
80	YFM80 Raptor	06-->	CR7HSA	0.7
125	YFA1 Breeze	90-->03	CR7HS	0.7
125	YFA1 Breeze	04-->	CR7HSA	0.7
125	YFM125S Grizzly	04-->	CR7HSA	0.7
200	YTM200EL Yamahauler	1984	D7EA	0.7
200	YFM200N (Moto-4)	85-->90	D7EA	0.6
200	YFS200 Blaster	88-->	BR8ES	0.6
200	YTM200EK (Tri-Moto)		D7EA	0.6
215	G1A Utility/Golf Kart	79-->	BP5HS	0.7
225	YFM225		DR7ES	0.6
230	YFU1 Pro Hauler	89-->90	DR7EA	0.7
250	YFB250 Timberwolf 2WD/4WD	92-->97	DR7EA	0.6
250	YFM250	88-->90	DR7EA	0.7
250	YFM250X Bear Tracker	99-->04	DR7EA	0.7
250	YFM250 Bear Tracker	05-->	DR7EA	0.6
250	YFM250B Bruin/Big Bear	05-->	DR7EA	0.6
250	YFM250R Raptor	08-->	DR7EA	0.6
285	G2A, G5A, G8A, G9A Utility/Golf Kart	85-->	BR4ES	0.8
285	G3A Utility/Golf Kart	86-->	BP5HS	0.7
287	YFM30GB Grizzly	12-->	CR8E	0.8
350	G23A Utility/Golf Kart	03-->06	BPR2ES	0.7
350	YFM350 Big Bear 2WD		DR8ES-L	0.6
350	YFM350 Big Bear 4WD	87-->93	DR8ES-L	0.6
350	YFM350 Big Bear 4WD	94-->97	DR8EA	0.8
350	YFM350A, FWA Bruin 2WD/4WD	03-->	DR8EA	0.8
350	YFM350ER	93-->95	DR8ES	0.7
350	YFM350FWB	97-->01	DR8EA	0.7
350	YFM350FX Wolverine	95-->99	DR8EA	0.7

Yamaha (Continued)

Eng. Size	Model	Date	Standard Plug	Gap mm.
350	YFM350R Raptor	05-->	DR8EA	0.8
350	YFM350U	96-->01	DR8EA	0.7
350	YFM350X Warrior	87-->04	DR8EA	0.8
350	YFZ350 Banshee	87-->	BR8ES	0.6
360	G27A U-Max Utility/Golf Kart	04-->06	BPR2ES	0.7
360	YDR-A (The DRIVE)	07-->	BPR2ES	0.7
400	YFM400 Big Bear Professional Manual	00-->06	DR8EA	0.7
400	YFM40 Big Bear Manual	07-->	DR8EA	0.7
400	YFM400FWE Kodiak	1993	DR8ES-L	0.7
400	YFM400 Kodiak Manual	94-->99	DR8EA	0.7
400	YFM400 Kodiak Auto	00-->05	DR8EA	0.7
400	YFM4FAV Kodiak Auto	2006	DR8EA	0.7
450	YFM450F Kodiak	03-->05	DR8EA	0.8
450	YFM45 Kodiak	2006	DR8EA	0.8
450	YFM45 Grizzly	07-->	DR8EA	0.8
450	YFM45 Grizzly EPS	10-->	DR8EA	0.8
450	YFZ450	03-->	CR8E	0.8
450	YFZ450R	09-->	CR8E	0.8
558	YFM550FWAD Grizzly	08-->	LMAR6A-9	0.9
600	YFM600FWA Grizzly	98-->01	DPR8EA-9	0.9
660	YFM660FWA Grizzly	02-->	DPR8EA-9	0.9
660	YFM660R Raptor	01-->05	DPR8EA-9	0.9
660	YXR660 Rhino	04-->07	DPR8EA-9	0.9
700	YXR70FX Rhino Fi	08-->	CPR7EA-9	0.8
700	YFM700R Raptor	06-->07	CR8E	0.6
700	YFM700 Grizzly Fi (19mm Thread Reach)	07-->08	CPR7EA-9	0.9
700	YFM700FWAD Grizzly Fi (26.5mm Thread Reach)	09-->	LMAR6A-9	0.9

